

Epoca Structure Home any shape

Produktbeskrivelse



ege

THE URGE TO EXPLORE SPACE

Produktbeskrivelse	Metoder	Produktdata
Konstruktion		
Struktur	ISO 2424	Vævet loop pile
Luvmateriale	DIR 96/73, 96/74	100% polyamid
Farvemethode	-	Continue farvet
Bagside	ETL	ECC300
Dimensioner	ISO 3018	Approx. 400 cm
Totalhøjde	ETL	Ca. 5,9 mm.
	.	0.23"
Totalvægt	ISO 8543	Ca. 2.600 g/m2
	.	76.7 oz./yd2
Luvindsatsvægt	ETL	700 g/m2
	.	20.65 oz./yd2

Egnethedsprøvnninger

Brugsområder	ETL	33 - Erhverv - Kraftig brug
Garanti	ETL	Contract certifikat
Rullehjulsegnet	ETL	Ja, konstant brug
Trappeegnet	ETL	Ja
Antistatiske egenskaber	ETL	Permanent antistatisk
Trinlydsdæmpning	ISO 717-2	20 dB
Akustisk absorption	ISO 354	0,20 aW
Gulvarmeegnet	ETL	Ca. 0,10 m2K/W
Lysrefleksion	ETL	Testrapport

Sikkerhed & Miljø

Brandklassifikation	ASTM E-648	Class 1
	ASTM E662 Smoke Density	<450
	ASTM D2859 Surface Flamm.	Pass
	EN 13501-1 Euroclass	Cfl-s1
	EN 14041	Certificeret
CE Mærkning	CPR	1021-CPR-009-2/16
	Ydeevnedeklaration	DOP 4C-PA-ECC300
	Notified body no.	1021
	Ce Year	13
	Content of PCP EN 12673	DL
	Formaldehyde emission	NA
	Skridsikkerhed EN 13893	Class DS
Indeklima	Green Label Plus	Godkendt
	Emissions dans l'air intérieur	A+/A+
	Indoor Air Comfort Gold	Group 14
Miljø	LEED	Qualified

Vejledninger

Montering, inkl. limguide	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English

Produktbeskrivelse	Metoder	Produktdata
Rengøring, pletfjerning	D	Deutsch
	F	Francais
	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

Producent

Fabrikscertificering	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	DS/OHSAS	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK
		UK