# interstuhl

### Technical data sheet O652

Specification Swivel chairs XXXL medium high

Dimensions in mm	Backrest:	H:	590
	Seat:	H:	420-540
		W:	540
		D:	460
	Total:	H:	970
		W (ArmR):	730
		D:	670
Packaging data	Weight:	kg	29
	Volume:	m³	0,7



Benefit

#### Basic equipment

Backrest	Medium high backrest, back 40 mm foam + 20 mm cotton.	The point of support "S" specified in EN 1335, 170 - 220 mm over the seat, is given. In that way a relaxed and comfortable sitting is possible. The backrest cannot accidentally spring forwards even after unlocking.
Upholstery	Breath-actively moulding foam, and wadding CFC - CHC-free (segregated foam). Seat: 80 mm foam + 10 mm cotton.	Paddings are unglued, ensuring optimal air movement. Breathable.
Mechanism	Reinforced synchronous mechanism, lockable with weight regulation with anti-shock technology, large opening angle.	Synchronous mechanisms of Interstuhl are designed in a way that they help to support optimally the body in every seating position and at the same time they relieve the change between the different seating positions.
Seat height adjustment	Infinitely seat height adjustment from 420 - 540 mm. Safety gas spring, self-supporting.	Also persons who do not correspond to the DIN norm (that means taller than 192 cm and smaller than 151 cm) are able to sit ergonomically correct.
Weight adjustment	For people up to 200 kg weight.	Individual adjustment of the backrest and the back pressure on seize and weight of the user.
Castors	Hard castors, load- dependent braked, for soft floors (acc. to DIN EN 12529).	The chair does not roll away in an off-loaded condition, minimum risk of accident.
Base	Reinforced steel base, black.	Very high stability, longevity.
Armrests	Width and height adjustable with a cover pad.	The armrests relieve the neck and shoulder muscles.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Lumbar support	Depth and height adjustable (100 mm) lumbar support with fine adjustable air-pressure technology.	Through air pressure the upholstery integrated into the back will be adjusted horizontally and adapted to the requirements of the user. In this way an individual support in the lumbar area is possible.
Standards	Testing the fitness for use as heavy-duty seat with more than 200 kg use weight, in accordance with EN 1335 with increased loads and more frequent cycles has been carried out by the LGA. GS-symbol for having tested safety.	High safety and comfort.
Certification	Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS), Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold, Commitment to sustainability. Blue Angel.	High-quality product.

### interstuhl

### Technical data sheet O652

Specification Swivel chairs XXXL medium high

Dimensions in mm	Backrest:	11.	500
Dimensions in min	Backrest:	H:	590
	Seat:	H:	420-540
		W:	540
		D:	460
	Total:	H:	970
		W (ArmR):	730
		D:	670
Packaging data	Weight:	kg	29
	Volume:	m³	0,7

Warranty and return

10 years warranty. Complete return and recycling guarantee.



Exchange of parts, free of charge, within the guaranteed period.

Disassembly instructions are available upon request for any interstuhl product

## interstuhl

#### Technical data sheet O652

Options

Specification Swivel chairs XXXL medium high

Dimensions in mm	Backrest:	H:	590
	Seat:	H:	420-540
		W:	540
		D:	460
	Total:	H:	970
		W (ArmR):	730
		D:	670
Packaging data	Weight:	kg	29
	Volume:	m³	0,7



Benefit

Castors	Soft, load- dependent braked double castors for hard floors. (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded condition, minimum risk of accident.
Upholstery materials	Leather and several fabric collections.	During the design of the chair different colours and upholstery materials are available.

Disassembly instructions are available upon request for any interstuhl product