

Technical data sheet O665

Specification Swivel armchair XXXL high

Dimensions in mm	Backrest:	H:	780
		Seat:	H: 420 - 540 W: 560 D: 490
	Total:	H:	1450
		W (ArmR):	780
		D:	730
	Packaging data	Weight:	kg
Volume:		m³	0,7



Basic equipment

Benefit

Backrest	Medium high backrest, back 40 mm foam + 20 mm cotton.	The point of support "S" specified in EN 1335, 170 - 220 mm over the seat, is given. In that way a relaxed and comfortable sitting is possible. The backrest cannot accidentally spring forwards even after unlocking.
Upholstery	Breath-actively moulding foam, and wadding CFC - CHC-free (segregated foam). Seat: 80 mm foam + 10 mm cotton.	Paddings are unglued, ensuring optimal air movement. Breathable.
Mechanism	Reinforced synchronous mechanism, lockable with weight regulation with anti-shock technology, large opening angle.	Synchronous mechanisms of Interstuhl are designed in a way that they help to support optimally the body in every seating position and at the same time they relieve the change between the different seating positions.
Seat height adjustment	Infinitely seat height adjustment from 420 - 540 mm. Safety gas spring, self-supporting.	Also persons who do not correspond to the DIN norm (that means taller than 192 cm and smaller than 151 cm) are able to sit ergonomically correct.
Weight adjustment	For people up to 200 kg weight.	Individual adjustment of the backrest and the back pressure on seize and weight of the user.
Castors	Hard castors, load-dependent braked, for soft floors (acc. to DIN EN 12529).	The chair does not roll away in an off-loaded condition, minimum risk of accident.
Base	Reinforced steel base, black.	Very high stability, longevity.
Armrests	Width and height adjustable with a cover pad.	The armrests relieve the neck and shoulder muscles.
Headrest	Height-adjustable (70 mm) and inclinable headrest, to be fixed by a handwheel.	During a relaxed seating position it relieves the neck and shoulder muscles.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Lumbar support	Depth and height adjustable (100 mm) lumbar support with fine adjustable air-pressure technology.	Through air pressure the upholstery integrated into the back will be adjusted horizontally and adapted to the requirements of the user. In this way an individual support in the lumbar area is possible.
Standards	Testing the fitness for use as heavy- duty seat with more than 200 kg use weight, in accordance with EN 1335 with increased loads and more frequent cycles has been carried out by the LGA. GS-symbol for having tested safety.	High safety and comfort.

Technical data sheet O665

Specification Swivel armchair XXXL high

Dimensions in mm	Backrest:	H:	780	
		Seat:	H:	420 - 540
			W:	560
	Total:	D:	490	
		H:	1450	
		W (ArmR):	780	
Packaging data	Weight:	kg	33,5	
		D:	730	
	Volume:	m³	0,7	



High-quality product.

Certification
 Quality management system DIN EN ISO 9001:2008, VO (EG) No. 1221/2009 (EMAS),
 Environmental management system DIN EN ISO 14001:2009, OHSAS, EcoVadis gold,
 Commitment to sustainability. Blue Angel.

Warranty and return
 10 years warranty. Complete return and recycling guarantee.

Exchange of parts, free of charge, within the guaranteed period.

Disassembly instructions are available upon request for any interstuhl product

Technical data sheet O665

Specification Swivel armchair XXXL high

Dimensions in mm	Backrest:	H:	780
		Seat:	H: 420 - 540
		W:	560
		D:	490
	Total:	H:	1450
		W (ArmR):	780
		D:	730
Packaging data	Weight:	kg	33,5
	Volume:	m³	0,7



Options

Benefit

Upholstery materials Leather and several fabric collections.

During the design of the chair different colours and upholstery materials are available.

Upholstery materials Leather and several fabric collections.

During the design of the chair several colours and upholstery materials are available.

Disassembly instructions are available upon request for any interstuhl product